

PATENT COOPERATION TREATY

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Assistant Commissioner for Patents
United States Patent and Trademark
Office
Box PCT
Washington, D.C.20231
ETATS-UNIS D'AMERIQUE

in its capacity as elected Office

Date of mailing (day/month/year) 31 March 2000 (31.03.00)	
International application No. PCT/AU99/00651	Applicant's or agent's file reference
International filing date (day/month/year) 11 August 1999 (11.08.99)	Priority date (day/month/year) 11 August 1998 (11.08.98)
Applicant YOUNG, Colin, Leslie	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:

08 March 2000 (08.03.00)

☐ in a notice effecting later election filed with the International Bureau on:

2. The election ☒ was
☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

<p>The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland</p> <p>Facsimile No.: (41-22) 740.14.35</p>	<p>Authorized officer</p> <p>Jean-Marc Vivet</p> <p>Telephone No.: (41-22) 338.83.38</p>
--	--

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: A01N 55/02	A1	(11) International Publication Number: WO 00/08933 (43) International Publication Date: 24 February 2000 (24.02.00)
(21) International Application Number: PCT/AU99/00651 (22) International Filing Date: 11 August 1999 (11.08.99) (30) Priority Data: PP 5183 11 August 1998 (11.08.98) AU (71)(72) Applicant and Inventor: YOUNG, Colin, Leslie [AU/AU]; 27 Reynolds Road, Wattle Glen, VIC 3096 (AU). (74) Agent: HOULIHAN, Michael, J.; Callinan Lawrie, 711 High Street, Kew, VIC 3101 (AU).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: MOLLUSC REPELLENT (57) Abstract A mollusc repellent, which includes a substantially insoluble metal oxalate and a suitable carrier therefor, which exhibits prolonged efficacy. The mollusc repellent is environmentally friendly, being both non-phytotoxic and harmless to non-target animals, and is therefore suitable for use in sustainable agriculture, where the use of toxic chemicals is unacceptable. The mollusc repellent can be used in the form of a solid or as a coating composition.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

MOLLUSC REPELLENT

Field of the Invention

The present invention relates to a repellent for molluscs. More particularly, the present invention relates to a mollusc repellent, which is environmentally friendly being both non-phytotoxic and harmless to non-target animals, and therefore suitable for use in sustainable agriculture, where the use of toxic chemicals is unacceptable.

Background to the Invention

Slugs and snails are major pests of agriculture in many parts of the world. One particular species of slug, the grey field slug, *Deroceras reticulatum*, is a common horticultural and agricultural pest in Australia, which causes extensive damage to agricultural crops and garden plants.

Significant crop damage by slugs and snails also occurs in the United Kingdom, Northern Europe, the Middle East, North and Central America, South East Asia, Japan and New Zealand. In many cases, the rise to pest status of the slug in question is a consequence of change - either in distribution (as in the case of accidental or deliberate introductions) or in agricultural practice.

In the recent past, fields awaiting seed planting were subjected to a thorough ploughing which actually resulted in the destruction of slug populations submerged beneath the surface of the soil. This maximum tillage of the soil, though, was found to destroy many beneficial characteristics of the soil structure. More recently, in order to reduce expenditure involved in such thorough ploughing and to overcome the difficulties associated with ploughing in muddy, boggy soils, the practice of minimum tillage and the use of drill holes has increasingly been adopted prior to seed planting. The advent of minimum tillage has contributed significantly to the level of slug populations rising to pest status.

Slugs are a major agricultural pest causing significant crop damage because they bury themselves in the soil and then move into the drill holes into which new crop seeds have been planted. Once the seed has been placed in the drill holes, the slugs attack the seed and eat the inside essentially leaving an empty husk, thereby potentially destroying the whole planting. There is therefore an urgent need for a method of protecting seeds from destruction by slugs prior to the seeds being planted.

There are several other instances where a solution to deal with slug populations is required. For example, in order to control weeds and reduce moisture loss by evaporation, it has been common practice to employ sheets of black polythene laid on the ground around the plants and under organic mulching material. The problem associated with such sheets is that they have to be dug up to dispose

of them, they are unsightly and they do not allow passage of water through them. Clearly, the use of such material, which is non-biodegradable, is environmentally unacceptable.

One solution to this problem, which is the subject of Australian Patent No. AU-B-64756/94, has been to employ recycled newspaper waste by reconstituting it into matting, in the form commonly known as "weed mats." Such matting is environmentally friendly since it employs a recycled resource which naturally decomposes. The problem encountered in the use of such matting, however, is that the recycled paper mat is attacked by slugs present in the soil upon which the matting is laid. This attack reduces the effective lifespan of the matting thereby making such a slug barrier unattractive to consumers. In addition, the laying of such matting is very labour-intensive and time-consuming and it would be preferable if the time interval between successive applications could be extended as much as possible. None of the molluscicides presently available on the market are suitable for this application since their efficacy reduces rapidly on contact with water and so would be ineffective in extending the lifespan of the weed mats.

Another case where slugs present a problem is in the agricultural practice of growing brussel sprouts. These crops present one of the few instances where slugs actually move up onto the plant and shelter in the plant itself, rather than stay in the soil and attack the root system. The problem presented in this case is that a slug repellent is required which is non-phytotoxic as well as being harmless to human beings, the eventual consumers of the crop. A further problem is that the slug repellent cannot be in the form of a pellet, but rather in the form of a spray since the repellent has to coat the leaves of the plant. Preferably, the slugs must be prevented from climbing up onto the plants at a very early stage because once they have done so, it has previously been found to be very difficult to remove them. It has been proposed that growers confronted with this problem may use a surfactant repellent such as CeTAB, cetyl tertiary ammonium bromide. However, the efficacy of this repellent is short-lived, since the compound is soluble and washes off in the rain or during overhead irrigation.

As was also mentioned above, one of the ways in which mollusc populations can achieve pest status is that they can be accidentally introduced. One such mode of accidental introduction is where molluscs attach themselves onto the hulls of ships which move from port to port. One way in which such accidental introductions could be prevented is for a mollusc repellent to be applied to the ship's hull thereby preventing the initial harbouring of the mollusc. In the United States, a considerable problem has been encountered in the control of the introduced *Zebra mussel*, which attaches itself to the inlet and outlet pipes of cooling systems for industrial power generators. This mollusc has now reached plague proportions. To solve the mollusc problems encountered in these two aquatic situations, care has to be taken to apply a mollusc repellent that is not soluble and does not endanger

aquatic life. None of the known mollusc repellents would be useful in this application all being either too soluble or too toxic.

Chemical methods (*i.e.* the use of molluscicides), involving the use of stomach poisons for the control of these pests, are well known. Molluscicides containing metaldehyde and methiocarb have been in use for some time, but these are themselves toxic to non-target animals and human beings and in the form of pellets, they also deteriorate upon exposure to water and in particular, rain and are not sufficiently durable as long-term repellents.

The use of metal complexes in molluscicides was first disclosed in Australian Patent AU-B-22526/88 entitled: "Aluminium(III) and Iron(III) complexes exhibiting molluscicidal activity", in the name of Henderson *et al.* In one of their studies, these inventors compared the relative toxicities of some aluminium and iron salts and chelates and their efficacies as stomach poisons by injecting known amounts into the gut lumen of molluscs and they found that the metal chelates were more toxic than their corresponding salts. Metal chelates were also first trialed by Henderson *et al* as contact-action poisons. In one particular study, Henderson used the metal chelate, FeEDTA, as the toxic agent, finding it just as effective as various salts of Fe(III). (Henderson, I.F. *et al*, in "A New Group of Molluscicidal Compounds," BCPC mono., (1989), 41, "Slugs and Snails in World Agriculture", pp 289-294 eds. Henderson, I.F., British Protection Council, Farnham, U.K.). More recently, Australian Patent No. 683405 entitled: "Ingestible Mollusc Poisons," disclosed a terrestrial mollusc stomach poison containing as the active ingredient either ferric edetate or the ferric hydroxy-ethyl derivative of edetic acid. These workers have also shown that mixtures of iron salts such as ferric sulphate, ferric chloride or ferric nitrate when mixed together with disodium EDTA or EDTA, as such, are toxic to the slug species, *Deroceras reticulatum*. The present inventor has also developed a stomach-action molluscicide, disclosed in Australian Patent Application No: 689399, containing the oxo-dimer, [EDTA-Fe-O-Fe-EDTA]⁴⁻ as the active ingredient wherein the bait formulation itself was found to be more palatable to molluscs and therefore also more efficacious. While metal chelate-derived molluscicides are preferable to the use of the more toxic alternatives, such molluscicides are all soluble and are therefore not applicable to any of the problems outlined above.

Dawson *et al*, in BCPC Symposium Proceedings, (1996), 66, "Slug & Snail Pests in Agriculture," p 439-444, eds. Henderson, I.F., British Protection Council, Farnham, U.K.) have investigated the repellency of a range of surfactants to the slug, *Deroceras reticulatum*. They found that in particular, tetraammonium salts were highly repellent and some polyphenylpolyethoxylates were also repellent with the degree of repellency varying with the degree of ethoxylation. These workers were interested in using surfactants as a repellent to crops. Their laboratory tests showed

that crawling slugs rapidly detect and are deterred by topical applications of chemicals at low deposit rates. They concluded however, that surfactants were of limited use in this type of application, since they were rapidly removed from the plant by rain, by condensation or by irrigation spraying.

Mollusc repellent formulations commonly in use contain methiocarb, copper sulphate, aluminium sulphate, ammonium alum and thiram to mention a few. Aluminium sulphate and ammonium alum work as taste repellents, whilst methiocarb and thiram are toxic poisons. Copper sulphate and copper oxychloride have been used for some time as slug repellents but they are too soluble to be effective as a slug repellent for the above-mentioned application to seeds and moreover both have a low LD₅₀ value (see Table 1) by virtue of them being soluble and therefore being able to enter the blood stream by biochemical degradation. In addition, they are both phytotoxic. Copper silicate, which is the subject of Australian Patent Application No. AU-B-27621/92, is also believed to function as a fungicide and a pesticide. Although this compound is not phytotoxic, it is too soluble to be able to function effectively as the active ingredient in a durable mollusc repellent composition for a seed coating or for any of the applications mentioned above.

Accordingly, it is an object of the present invention to provide a mollusc repellent which achieves the hitherto unavailable requirement of prolonged repellency. It is also an object of the present invention to provide a mollusc repellent, which is environmentally friendly being both non-phytotoxic and harmless to non-target animals, and therefore suitable for use in sustainable agriculture, where the use of toxic chemicals is unacceptable.

The present study concentrated on finding an active ingredient, for both horticultural and agricultural purposes, which acted both as a repellent to molluscs and one that remained efficacious in field conditions on prolonged exposure to the environment. To this extent, the study was also directed to finding a mollusc repellent that was effective in both marine and fresh-water environments. The results of trials conducted on several metal complexes revealed that some metal oxalates, and copper oxalate, in particular, when applied in either humid or moist environments, showed a surprisingly propensity to remain efficacious for a prolonged period of time.

In addition, the acute toxicity of copper oxalate is not known, but it is estimated that the toxicity is low (*i.e.* greater than 1000 mg/kg of body weight). This estimation is based on the following reasoning. Copper oxalate has extremely low solubility in water over a considerable range of pH. It is thought that only a minuscule amount of copper oxalate will be absorbed in the mammalian gut. The toxicity of a range of copper compounds is known and these are summarised in Table 1. It is apparent that compounds with low solubility are not very toxic. Oxalates are known to be toxic and some data are given in Table 1. Oxalates occur in a wide range of natural products

including some foods, such as tea, wheat, spinach and rhubarb. Actual poisoning by oxalate is known to arise more from natural sources than from synthetic materials. It appears that the toxicity of oxalates is due to the fact that they chelate metals that are needed for biochemical/metabolic processes.

5 Copper oxalate itself occurs naturally in the soil due to the decomposition of organic matter. The fact that copper oxalate is very insoluble seems to be employed by certain common soil fungi, *Aspergillus niger*, which has been found to solubilize a number of minerals including cuprite, CuO_2 with no reduction in growth rate (Sayer, J.A., Kierans, M. and Gadd, G.M., "Solubilisation of some Naturally Occurring Metal-bearing Minerals, Limescale and Lead Phosphate by *Aspergillus niger*,"
10 **FEMS Microbiology Letters**, (1997), **154**, 29-35, published by Elsevier). After one to two day's growth on cuprite at 25°C, a precipitate of copper oxalate was observed. It was suggested that this oxalate formation represented a reduction in bioavailability of toxic cations and represented an important means of toxic metal immobilisation of physiological and environmental significance. A certain amount of copper is, of course essential for both plant and animal life, it being an important
15 co-enzyme in a number of biochemical reactions. The average daily requirement for man is estimated to be 2-5 mg per day (Henry Osiecki, "Nutrients in Profile," (1995), published by Bioconcepts Pty Ltd).

Summary of the Invention

20 According to one aspect of the present invention, there is provided a mollusc repellent composition including an effective amount of a substantially insoluble metal oxalate and a suitable carrier therefor.

Preferably, the metal of the metal oxalate is selected from a transition metal or a transition metal in combination with a non-transition metal. More preferably, the metal is selected from the
25 group of iron(II) or iron(III), aluminium, zinc or copper. Most preferably, the metal is copper. Preferably, the non-transition metal is potassium. Preferably, the metal oxalate is selected from ferric potassium oxalate or copper oxalate. Most preferably, the metal oxalate is copper oxalate.

Typically, the amount of metal oxalate required for efficacy is between about 2% and 100% by weight of the total composition of the repellent. Preferably, the amount of metal oxalate is between
30 about 2% and 10% by weight of the total composition. Most preferably, the amount is about 5% by weight of the total composition.

Preferably, the carrier of the composition is water, such that the metal oxalate forms an aqueous suspension. Preferably, the carrier comprises between about 0% and 98% by weight of the total composition.

Typically, the repellent composition is applied to an article from which it is desired to repel molluscs. Preferably, the article includes animate and inanimate articles. More preferably, the animate article is selected from seeds, including wheat, barley, grass (clover, phalaris, rye and cocksfoot), canola seeds, fruit or vegetables. More preferably, the inanimate article is selected from weed mats, inlet and outlet pipes for cooling systems, hulls of ships and other sub-aqueous structures, driveways or parking aprons of homes and grow-bags, but is not limited to these.

The mollusc repellent is advantageously presented in a solid form, such as tablets, powders, granules, as a suspension or as a coating composition. Preferably, the coating composition is in the form of a paint. Those skilled in the art will appreciate that it is preferable to prepare the products, which are the subject of the invention, in a form that is easy for consumers to use.

In a preferred form of the invention, the carrier of the composition includes a binder, which facilitates the adhesion of the metal oxalate onto the surface of the article to be treated. Preferably, where the repellent composition is to be applied to an animate article, the binder is selected from gum arabic or gum acacia. Preferably, where the repellent is to be applied to inanimate articles, the binder is selected from a waterproof binder such as paraffin wax, white oil, casein or polyvinylacetate. Preferably, the binder comprises between about 0.1% and 100% by weight of the carrier of the composition. More preferably, the binder comprises 0.5% to 3% by weight of the carrier.

Preferably, the composition further includes a fungicide such that the article is protected from attack by a fungus. Preferably, the fungicide is selected from copper oxychloride or thiram. Preferably, the fungicide comprises about 0.05% to 1.0% by weight of the total composition.

Typically, the fungicide is applied as a coating in combination with a small amount of a non-phytotoxic dye, the latter being used as an indicator that the seeds have been treated with a fungicide. Preferably, the non-phytotoxic dye comprises less than about 1% by weight of the total composition.

Preferably, the carrier further comprises a diluent to ensure even coverage of the article to which the repellent is to be applied. Preferably, the diluent is selected from a silicate, gypsum or limestone. Preferably, the diluent comprises between about 0 % to 95% by weight of the carrier.

According to yet another aspect of the invention, the composition comprises a metal oxalate in combination with at least one other mollusc repellent.

Preferably, where the treated article is a seed having the potential to produce at least one root, the composition further includes a growth hormone such that the hormone is readily available to the at least one root as it emerges from the seed. Preferably, the growth hormone is a seaweed extract. Preferably, the growth hormone comprises between about 0.05% and 1% by weight of the total composition.

In another preferred embodiment, the repellent composition is in the form of a paint, wherein the carrier is preferably selected from an aqueous surfactant solution, an aqueous polyvinylacetate solution or an oil-based paint.

The mollusc repellent may also conveniently be presented as a two-part composition, wherein the first part comprises an effective amount of an aqueous solution of oxalic acid or soluble metal oxalate and the second part comprises an effective amount of an aqueous solution of a soluble metal salt, whereby sequential application of the two solutions, in either order, results in the in-situ preparation of a substantially insoluble metal oxalate as an aqueous suspension. Preferably, the metal oxalate is selected from ferrous oxalate, ferric ammonium/potassium oxalate or copper oxalate. Preferably, the oxalic acid and the metal salt are present in equimolar amounts. Preferably further, the concentration of the metal salt solution is about 5% by weight of the total two-part composition. Such use of two environmentally acceptable chemicals renders such a mollusc repellent suitable for sustainable agriculture purposes.

According to another aspect of the invention, there is provided a method of treating an article with the mollusc repellent, which is the subject of the invention, including applying the composition to the surface of the article to be treated. Tablets, powders or granules can be sprinkled over the ground or in places where molluscs congregate, such as letterboxes, to repel the molluscs. An aqueous suspension of metal oxalate composition as detailed above can be used for coating seeds, for spraying on driveways, for spraying on the trunks of fruit trees or on vegetable seedlings, such as brussel sprouts. A repellent composition can be applied either in the solid form, by sprinkling on the surface of, or in the form of a coating composition by coating on the surface of, the lining of grow-bags, used by the home gardener, or on at least one of the layers that comprise "weed mats", as described above. A repellent composition in the form of a paint, can be applied to sub-aqueous surfaces which are potentially susceptible to mollusc colonies forming thereon, such as inlet and outlet pipes for cooling systems or on the hulls of ships, to prevent the introduction of foreign species of unwanted molluscs from other parts of the world.

According to another aspect of the invention, the invention provides an article, which has been treated with the mollusc repellent composition. Preferably, the treated article is selected from a seed,

a weed mat, a citrus tree, a driveway, a sub-aqueous structure such as an inlet or outlet pipe or a ship's hull, a grow-bag, a vegetable seedling, but is not limited to one of these.

The scope of the present invention also extends to the use of the mollusc repellent composition by, for example, spreading the repellent composition in a solid form as tablets, granules or as a powder; by coating animate or inanimate articles with the composition, for example, by spraying vegetable seedlings or driveways with an aqueous suspension of the repellent composition; by applying a paint including the composition to sub-aqueous inlet or outlet pipes, ships' hulls or any other sub-aqueous structure where molluscs are likely to congregate; or by coating layers of decomposable material incorporated into weed mats with the composition. These examples for the use of the composition are by no means limiting.

Examples

The oral toxicity of several soluble copper compounds and oxalates which have been extracted from "SAX'S Dangerous Properties of Industrial Materials," edited by Lewis, R.J., are given in Table 1. LD₅₀ values have generally been given for the rat since these were available for all the chemicals of interest in this study. However, where available, LD₅₀ values for human beings have also been given.

Table 1. Oral Toxicity of several soluble copper compounds and oxalates

Chemical Compound	LD ₅₀ (Rat) mg/kg	LD ₅₀ (Human) mg/kg
Copper acetate	595	
Copper oxychloride	700	
Copper citrate	1580	
Copper nitrate	940	
Copper sulphate	300	50
Copper hydroxide		200
Oxalic acid	7500	
Potassium oxalate	660	

The results in Table I show that several copper compounds have shown quite considerable toxicity to the rat and to the human being, whereas because copper oxalate is insoluble, its LD₅₀ values both for the rat and the human being would be expected to be large.

The invention will now be illustrated with reference to the following non-limiting Examples.

5

Example 1.

There are many possible variables to consider when evaluating mollusc repellents. Field trials are often poorly controlled and it is often difficult to arrive at unambiguous conclusions. It is impossible to apply extensive statistical analysis to poorly designed or controlled experiments.

10 However, a series of simple experiments in which variables are controlled lead to unambiguous conclusions with no need for statistical analysis. It was decided to compare the repellents under laboratory conditions, which could closely mimic controlled field conditions

Repellency of the test compounds was tested using the sectorised filter technique of Bowen and Antoine (*see* Bowen, I.D. and Antoine, S., "Molluscicide Formulation Studies," **International**
15 **Journal of Pest Management**, (1995), **41(2)**, 74-78.)

The compounds tested were copper oxalate and CeTAB (cetyl tertiary ammonium bromide). One sector of the filter paper was used as the control and this was moistened with distilled water (1 ml). The other half was moistened with the test compound. The copper oxalate used in the trial was insoluble and so was rubbed into the filter paper and the weight of the solid held on the filter paper
20 was calculated. The paper containing the copper oxalate was moistened with water after the addition of the chemical.

Filter sectors were placed on the lid of a plastic tub. The tub was inverted and was used to make a closed test arena. A small gap of 2 mm was left between the two filter sectors so as to prevent mixing of the test paper with the control. One juvenile *Helix aspersa* was introduced to the control
25 sector and was allowed to remain in the arena overnight.

Attractancy / repellency was detected by dusting the filter paper with charcoal to reveal the slug trails. The results were quantified by placing a transparent grid over the test sectors and measuring the area covered by snail trails. Any phagostimulatory effect of the test compound was indicated by the consumption of the treated paper.

30

Results

The results of the arena trials including the final position of each snail at the end of the experiment, the percentage of the filter paper section eaten and the percentage trail cover are shown in Table 2

5

Table 2. Results of attractancy / repellency tests on Copper oxalate and CeTAB

Treatment	Concentration (mg/cm ²)	Final Position	% Sector Eaten		% Covered	
			Test	Control	Test	Control
Control		C	5	3	84	88
		C	5	1	88	80
		T	0	5	88	77
CeTAB	0.2	R	0	2	20	86.7
	0.2	R	0	4	22	77.8
	0.2	R	0	1	42.2	75.6
	2.0	R	0	4	0	62.2
	2.0	R	0	5	0	66.6
	2.0	R	0	3	0	71.1
Copper oxalate	2.11	R	0	5	0	71.1
	1.61	R	0	4	4.4	88
	2.43	R	0	2	0	68.9
	2.47	R	0	5	0	86.7
	3.46	R	0	1	4.4	66.7
	3.19	C	0	2	0	88

where R: roof of the container; T = test sector; and C = control sector

Summary of Results

The results show that snails were strongly repelled by the copper oxalate. In all, of the six snails tested, none were found in the test sector at the end of the experiment and there was no consumption of the test filter paper. There was very little mucous cover compared to the control.

- 5 The positive control, CeTAB, was also found to act as a repellent. Indeed, there was a concentration-related response, more snails being repelled by 2.0 mg/l CeTAB, compared to 0.2 mg/l CeTAB.

Example 2.

- 10 In the following experiment, various seeds were coated with copper oxalate and ferric potassium oxalate, respectively and fed to the slug, *Deroceras reticulatum*. The damage to these seeds was compared to damage to control seeds, which were left untreated. The percentage of seeds that were damaged was calculated and is given in Table 3.

15 **Table 3. Protection afforded to seeds by Copper oxalate and Ferric potassium oxalate**

Treatment	% Seeds damaged		% Seeds damaged		% Seeds damaged
	Wheat seeds		Pea seeds		Broad beans
	After 5 days	7 days	After 5 days	7 days	After 7 days
Control	37	87	15	33	5
Copper oxalate	0	2	7	7	5
Ferric potassium oxalate	3	20	15	17	0

Summary of Results

It can be seen from the above results that copper oxalate is a very effective slug repellent for wheat and pea seeds.

Example 3.

In the following experiment, the efficacy of copper oxalate for the protection of seeds was tested and compared to **BAYSOL**[®] and **MULTIGUARD**[®]. The results are shown in Table 4. Seeds were coated with an aqueous suspension of copper oxalate, dried and fed to the slug, *Deroceras reticulatum*.

Table 4. Protection afforded to wheat and pea seeds by copper oxalate compared to **BAYSOL[®] and **MULTIGUARD**[®]**

Treatment	% Seeds Damaged	% Seeds Damaged
	Wheat Seeds After 9 days	Pea Seeds After 7 days
Control	72	23
Copper oxalate	10	8
MULTIGUARD [®]		2
BAYSOL [®]	10	4

MULTIGUARD[®] and **BAYSOL**[®] are registered trade marks of Multicrop[®] (Aust.) Pty Ltd and Bayer, respectively.

Summary of Results

The above results show that copper oxalate dramatically reduces the amount of damage to wheat seeds and does so to the same extent as **BAYSOL**[®], a toxic molluscicide containing methiocarb. Copper oxalate was also found to be effective at protecting pea seeds from damage by slugs although not as effectively as **MULTIGUARD**[®] which was more effective than **BAYSOL**[®]. These latter two products also resulted in the death of the slugs involved in the trial.

Example 4.

In the following experiment, the repellency of copper oxalate was investigated when incorporated in a paint composition. In this example, the carrier used was a common aqueous PVA

solution sold in Australia under the brand name of **Bond Crete**.

Thirty-three 1 litre containers were used each with 3 layers of paper towel covering the bottom of the container. Half of the uppermost surface of each of the paper towels was coated with a solution made from 1 part copper oxalate : 10 parts water : 1 part PVA emulsion. This coating was applied at a rate of about 2 ml per 100 cm² and allowed to dry. The towel was then moistened with approximately 20 ml of water. One snail, *Cermeilla virgata*, was placed in the centre of the paper towels at the border of the coated and the uncoated half in each container. The snails were observed to move away from the coated area or move along the border without moving on to the coated area. Some of the snails were observed to move away from the bottom of the container at night, but most returned to the moist paper towel in the morning. The snails consumed some of the untreated paper. No consumption of the treated paper was detected. After 7 days, the number of snails on the treated and untreated sections of the paper towel were counted, together with the number on the sides and lid of the container. The results are shown in Table 5.

Table 5. Investigation of the repellency of copper oxalate in a coating composition

Area where snail located in container	No. of snails in area
On lid of container	1
On side of container	1
On treated half of paper	8
On untreated half of paper	23

Summary of results

These results show that when incorporated into a coating composition, copper oxalate functions effectively as a mollusc repellent

Those skilled in the art will appreciate that the invention described herein is susceptible to variations and modifications other than those specifically described. It is to be understood that the invention includes all such variations and modifications. The invention also includes all of the steps, features, compositions and compounds referred to or indicated in this specification (unless specifically excluded) individually or collectively, and any and all combinations of any two or more of said steps or features.

Where the terms "comprise", "comprises", "comprised" or "comprising" are used in this specification, they are to be interpreted as specifying the presence of the stated features, integers, steps or components referred to, but not to preclude the presence or addition of one or more other feature, integer, step, component or group thereof.

CLAIMS

1. A mollusc repellent composition including an effective amount of a substantially insoluble metal oxalate and a suitable carrier therefor.

5 2. A mollusc repellent composition according to claim 1, wherein the metal of the metal oxalate is selected from a transition metal or a transition metal in combination with a non-transition metal.

3. A mollusc repellent composition according to claim 1 or claim 2, wherein the metal is selected from the group of iron(II) or iron(III), aluminium, zinc or copper.

10 4. A mollusc repellent composition according to claim 3, wherein the metal is copper.

5. A mollusc repellent composition according to any one of claims 2 to 4, wherein the non-transition metal is potassium.

6. A mollusc repellent composition according to any one of claims 1 to 5, wherein the metal oxalate is selected from ferric potassium oxalate or copper oxalate.

15 7. A mollusc repellent composition according to claim 6, wherein the metal oxalate is copper oxalate.

8. A mollusc repellent composition according to any one of the preceding claims, wherein the amount of metal oxalate is between about 2% to 100% by weight of the total composition.

20 9. A mollusc repellent composition according to claim 8, wherein the amount of metal oxalate is between about 2% and 10% by weight of the total composition.

10. A mollusc repellent composition according to claim 9, wherein the amount is about 5% by weight of the total composition.

11. A mollusc repellent composition according to any one of the preceding claims, wherein the carrier is water.

25 12. A mollusc repellent composition according to claim 11, wherein the metal oxalate is present as an aqueous suspension

13. A mollusc repellent composition according to claim 11 or claim 12, wherein the carrier comprises between about 0% and 98% by weight of the total composition.

41. A mollusc repellent composition, according to any one of claims 1 to 10, in the form of a paint.

42. A mollusc repellent composition according to claim 41, wherein the carrier is selected from an aqueous surfactant solution, an aqueous polyvinylacetate solution or an oil-based paint.

5 43. A mollusc repellent composition suitable for sustainable agricultural purposes including:

(i) an effective amount of an aqueous solution of oxalic acid or soluble metal oxalate; and

(ii) an effective amount of an aqueous solution of a soluble metal salt,

whereby sequential application of the two solutions, in either order, results in the in-situ preparation of a substantially insoluble metal oxalate as an aqueous suspension.

10 44. A mollusc repellent composition according to claim 42, wherein the metal oxalate is selected from ferrous oxalate, ferric ammonium/potassium oxalate or copper oxalate.

45. A mollusc repellent composition according to claim 43, wherein the oxalic acid and the metal salt are present in equimolar amounts.

15 46. A mollusc repellent composition according to claim 44, wherein the concentration of the metal salt solution is about 5% by weight of the total composition.

47. An article treated with the repellent composition according to any one of claims 1 to 31 according to the method of any one of claims 32 to 39.

48. An article according to claim 46, wherein the treated article is selected from a seed, a weed mat, a citrus tree, an inlet or outlet pipe, a ship's hull, a grow bag or a vegetable seedling.

20 49. Use of the mollusc repellent composition according to any one of claims 1 to 31 substantially as hereinbefore described with reference to any one of the Examples.

50. A mollusc repellent composition according to any one of claims 1 to 31 substantially as hereinbefore described with reference to any one of the Examples.

25 51. A method of for treating an article with the mollusc repellent composition according to any one of claims 1 to 31, substantially as hereinbefore described with reference to any one of the Examples.

52. A coating composition according to claim 40, substantially as hereinbefore described with reference to any one of the Examples.

53. A paint according to claim 41 or claim 42, substantially as hereinbefore described.

54. A mollusc repellent composition suitable for sustainable agriculture purposes according to any one of claims 42 to 45, substantially as hereinbefore described.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU 99/00651

A. CLASSIFICATION OF SUBJECT MATTERInt Cl⁶: A01N 55/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC: A01N 55/02

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPAT: A01N 55/02 and oxal:

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	Derwent Abstract Accession No. 92-075180/10, Class C01(C03), JP 4018005 A (SUMITOMO CHEMICAL KK) 22 January 1992 Abstract	1-4, 6, 7
X	WO 85/04668 A (OSMOSE WOOD PRESERVING CO. OF AMERICA, INC.) 24 October 1985 Example 2, claims	1-4, 6-12, 32, 33

☐ Further documents are listed in the continuation of Box C

☒ See patent family annex

* Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent but published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search
25 August 1999

Date of mailing of the international search report
26 AUG 1999

Name and mailing address of the ISA/AU
AUSTRALIAN PATENT OFFICE
PO BOX 200
WODEN ACT 2606
AUSTRALIA
Facsimile No.: (02) 6285 3929

Authorized officer

GAYE HOROBIN
Telephone No.: (02) 6283 2069

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/AU 99/00651

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report				Patent Family Member			
WO	85/04668	AU	41182/85	BE	902109	BR	8506433
		DK	5586/85	EP	175771	FI	854786
		FR	2562463	GB	2166956	JP	61501763
		MX	161835	NO	854702	SE	8505739
		US	4622248				
END OF ANNEX							

16

PATENT COOPERATION TREATY
PCT
INTERNATIONAL PRELIMINARY EXAMINATION REPORT

REC'D 20 JUN 2000

WIPO

PCT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 10457/3802	FOR FURTHER ACTION	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416).
International application No. PCT/AU99/00651	International filing date (<i>day/month/year</i>) 11 August 1999	Priority Date (<i>day/month/year</i>) 11 August 1998
International Patent Classification (IPC) or national classification and IPC Int. Cl. ⁷ A01N 55/02		
Applicant YOUNG, Colin Leslie		

1.	This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.	
2.	This REPORT consists of a total of 4 sheets, including this cover sheet. <input type="checkbox"/> This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of sheet(s).	
3.	This report contains indications relating to the following items: I <input checked="" type="checkbox"/> Basis of the report II <input type="checkbox"/> Priority III <input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability IV <input type="checkbox"/> Lack of unity of invention V <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement VI <input type="checkbox"/> Certain documents cited VII <input type="checkbox"/> Certain defects in the international application VIII <input checked="" type="checkbox"/> Certain observations on the international application	

Date of submission of the demand 8 March 2000	Date of completion of the report 9 June 2000
Name and mailing address of the IPEA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaustalia.gov.au Facsimile No. (02) 6285 3929	Authorized Officer GAYE HOROBIN Telephone No. (02) 6283 2069

I. Basis of the report

1. With regard to the elements of the international application:*

- ☒ the international application as originally filed.
- ☐ the description, pages , as originally filed,
 pages , filed with the demand,
 pages , received on with the letter of
- ☐ the claims, pages , as originally filed,
 pages , as amended (together with any statement) under Article 19,
 pages , filed with the demand,
 pages , received on with the letter of
- ☐ the drawings, pages , as originally filed,
 pages , filed with the demand,
 pages , received on with the letter of
- ☐ the sequence listing part of the description:
 pages , as originally filed
 pages , filed with the demand
 pages , received on with the letter of

2. With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language which is:

- ☐ the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3).

3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, was on the basis of the sequence listing:

- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

4. ☐ The amendments have resulted in the cancellation of:

- ☐ the description, pages
- ☐ the claims, Nos.
- ☐ the drawings, sheets/fig.

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**

* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).

** Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**1. Statement**

Novelty (N)	Claims 5, 13-31, 34-54	YES
	Claims 1-4, 6-12, 32, 33	NO
Inventive step (IS)	Claims 5, 14-31, 34-54	YES
	Claims 1-4, 6-13, 32, 33	NO
Industrial applicability (IA)	Claims 1-54	YES
	Claims	NO

2. Citations and explanations (Rule 70.7)**NOVELTY(N) Claims 1-4, 6-12, 32, 33**

Derwent Abstract Accession No. 92-075180 discloses a composition of copper oxalate and an alkaline earth metal salt with a carrier. Claims 1-4 and 6 and 7 are not novel when compared to this document.

WO 85/04668 discloses a method and composition for preserving wood against destructive insects. The composition contains copper oxalate and a carrier. Your attention is directed particularly to example 2. Claims 1-4, 6-12, 32 and 33 cannot be considered novel when compared with this document.

INVENTIVE STEP(IS) Claims 1-4, 6-13, 15, 32, 33**Claims 1-4, 6-12, 32, 33**

As above

Claims 13, 15

I consider that the features added by these claims are such that they do not make any contribution to inventive step.

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

Claim 1 lacks clarity because the terms "effective amount" and "substantially insoluble" are imprecise.